



# **GB Glass Products Ltd**

## **Glass & Sealed Unit Specialists**

Unit 19 Kingsway Interchange, Eleventh Avenue, Team Valley Trading Estate,  
Gateshead, NE11 0JY

### **CONSTRUCTION PRODUCTION REGULATION DECLARATION OF PERFORMANCE**

No. 0003 CPR 07-2013

- 1. Identification Code: IGU
- 2. Serial No: Type C
- 3. Intended Use: Glass in Building & Construction
- 4. Manufacturer: **GB Glass Products Ltd, Unit 19 Kingsway Interchange, Eleventh Avenue, Team Valley, Gateshead, Tyne & Wear, NE11 0JY**
- 5. Authorised Representative: Not Applicable
- 6. Assessment & Verification of Constancy Performance: System 1
- 7. Relevant Harmonised Standard: EN1279-5:2005+A2:2010  
BSI NB performed Part 2 Initial Type Test under system 1 & issued Test Report No. 371/7507076. TUV Rheinland NB 0336 & 1750 carried out Part 3 Gas Leakage Test & issued Report No. 11457R-11-29957
- 8. European Technical Assessment: Not Applicable
- 9. Declared Performance:

Essential Requirement	Declared Performance	Harmonised Standard
Reaction to Fire	A1	EN1279-5: 2005+A2:2010
Resistance against sudden Temperature Changes & Temperature Differentials.	100K	
Wind, Snow, Permanent & Imposed Load Resistance.	4 mm	
Direct Airbourne Sound Insulation.	30(-2, -4)	
Thermal Properties:	1.6>W/m2k	
Radiation Properties:	80/11/10 90/8/8	
Light Transmission & Reflection.		
Solar Energy Characteristics	84/8/8 68/12/11	

Specific Technical Documentation: Not Applicable

- 10. The performance of the product identified in points 1 & 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for, & on behalf of, the manufacturer:  
GB Glass Products Ltd  
Date: 5<sup>th</sup> May 2013

Glen Bogie - Director

Tel: 0191 4915250  
Fax: 0191 4915251

Email: [gbglass@mail.com](mailto:gbglass@mail.com)

VAT No: 143 0297 36

BS EN 1279 Parts 2/3

