

Kitemark™ Certificate

This is to certify that:

Selecta Systems Ltd
Selecta House
Selecta Avenue
Great Barr
Birmingham
B44 9EG
United Kingdom

Holds Certificate Number:


KM 565686

In respect of:

BS 8529 / PAS24
Enhanced Security Composite Door System Supplier

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.



For and on behalf of BSI:

Gary Fenton, Global Product Certification Director

First Issued: 01/11/2010

Latest Issue: 31/05/2016



Kitemark™ Certificate

No. KM 565686

BS 8529:2010 / PAS 24:2012 - General and enhanced security performance requirements for composite door assemblies.

This Certificate covers the fabrication of doors to the following system design specification. Only those components that have been approved in accordance with the Kitemark scheme requirements can be incorporated within the system(s) detailed.

Selecta Composite Door

Fabricated and installed in accordance with the latest issue of the following Selecta Systems Ltd controlled manual(s):
Selecta Systems Composite Residential Door System Technical/Fabrication Manual(s)

System description:

The door assemblies are NanYa GRP composite slabs, with PVC-U extruded outer frames, open in or out only, cassette glazed with BS EN 1279-2 compliant IGU(s), laminated on one pane, with mechanically fixed low threshold and of otherwise fully welded construction.

Size Limitations and Performance Characteristics

| Door Type | Length (mm) - Maximum | Height (mm) - Maximum | Air Permeability classification | Watertightness classification | Resistance to Wind classification | Exposure category as given in Table 1 of BS 6375-1:2009 |
|---|--------------------------|--------------------------|------------------------------------|----------------------------------|--------------------------------------|--|
| Overall dimensions for doors with approved outer frame and sash profiles: | | | | | | |
| Single leaf doors | 1000 | 2086 | 3 | 4A | C4 | 1200 |

First Issued: 01/11/2010

Latest Issue: 31/05/2016

Page: 2 of 3

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 565686

Selecta Composite Door

| | | |
|-----------------------|---|--|
| Profiles: | Outerframe: | 8710 |
| | Low threshold: | Stormguard Aluminium |
| Reinforcement: | Outerframe: | Steel 1755 (lock Side) 1756 (hinge side) RTR 1776 |
| | Glazing beads: | Nanya/Distinction snap fit cassette |
| Weatherseals: | Co-extruded gasket to frame 8617 Wool pile 4.8 8654 | |
| Hardware: | Hinges: | Yale 9974 |
| | Locking: | Yale triple hook lock 9970; ERA Vectis Plus; ERA Trimlock Cylinder: 3* certified including Yale ASP Lever handles Fab & Fix 9975 |

First Issued: 01/11/2010

Latest Issue: 31/05/2016

Page: 3 of 3

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.